## medartis®

PRECISION IN FIXATION

INFORMATION ON THE PRODUCT RANGE

# Wrist

# **APTUS**<sup>®</sup>

#### LITERATURE

- Krimmer, H., Pessenlehner, C., Haßelbacher, K., Meier, M., Roth, F., und Meier, R. Palmar fixed angle plating systems for instable distal radius fractures Unfallchirurg, 107[6], 460-467. 2004.
- Mehling, I., Meier, M., Schloer, U., und Krimmer, H. Multidirectional Palmar Fixed-Angle Plate Fixation for Unstable Distal Radius Fracture Handchir.Mikrochir.Plast.Chir, 39[1], 29-33. 2007.
- Moser, V. L., Pessenlehner, C., Meier, M., und Krimmer, H. Palmar fixed angle plating systems for instable distal radius fractures Operat.Orthop.Traumatol., 16[4], 380-396. 2004.
- Jakubietz, R. G., Gruenert, J. G., Kloss, D. F., Schindele, S., and Jakubietz, M. G. A Randomised Clinical Study Comparing Palmar and Dorsal Fixed-Angle Plates for the Internal Fixation of AO C-Type Fractures of the Distal Radius in the Elderly Journal of Hand Surgery, European Volume 33[5], 600-604. 2008.
- Figl, M., Weninger, P., Liska, M., Hofbauer, M., and Leixnering, M. Volar fixed-angle plate osteosynthesis of unstable distal radius fractures: 12 months results Arch.Orthop.Trauma Surg., 129[5], 661-669. 2009.
- Weninger, P., Schueller, M., Drobetz, H., Jamek, M., Redl, H., and Tschegg, E. Influence of an Additional Locking Screw on Fracture Reduction After Volar Fixed-Angle Plating – Introduction of the "Protection Screw" in an Extra-Articular Distal Radius Fracture Model Journal of Trauma - Injury, Infection, and Critical Care, 67[4], 746-751. 2009.
- Figl, M., Weninger, P., Jurkowitsch, J., Hofbauer, M., Schauer, J., and Leixnering, M. Unstable Distal Radius Fractures in the Elderly Patient – Volar Fixed-Angle Plate Osteosynthesis Prevents Secondary Loss of Reduction Journal of Trauma - Injury, Infection, and Critical Care, 68[4], 992-998. 2010.
- Sonderegger, J., Schindele, S., Rau, M., and Gruenert, J. G. Palmar multidirectional fixed-angle plate fixation in distal radius fractures: do intraarticular fractures have a worse outcome than extraarticular fractures? Arch.Orthop.Trauma Surg., 130[10], 1263-1268. 2010.
- 9. Richter, R., Konul, E., und Krimmer, H. Strategy of early corrective osteotomy Obere Extremität, 5[2], 92-97. 2010.
- Haefeli, M., Stober, R., Plaass, C., Jenzer, A., and Steiger, R.
  First experience with a dorsal plate in modern design for the treatment of distal radius fractures Journal of Hand Surgery, European Volume 35E[S1], A-0461. 2010.

### APTUS® Wrist

#### INTRODUCTION

Approaches for the treatment of distal radius fractures have been changing for years, with similar developments now slowly emerging in the treatment of fractures to the distal ulna. Increased expectations on the part of patients, as well as socioeconomic factors, have resulted in the desire for perfect anatomical reconstruction and permanent repositioning. Very early mobilization is therefore facilitated in the postoperative treatment phase, with as little immobilization as possible.

In collaboration with leading specialists, Medartis has developed the unique APTUS Wrist fixation system for fracture treatment and reconstructive surgery. APTUS implant plates with TriLock locking technology work according to the "internal fixator" principle, stabilizing intra- and extra-articular fractures as well as completed correction osteotomies.

APTUS Wrist offers a versatile range of anatomically designed radius and ulna plates. The plates are available in different lengths and widths for volar, dorsal and/or lateral implantation to meet the high expectations of an optimal treatment outcome. Minimal profile heights and highly polished surfaces for minimizing tissue irritation are two outstanding features offered by the plates.

With the introduction of APTUS Wrist, Medartis has considerably enhanced the therapeutic diversity of the treatments available for fractures, osteotomies and pseudarthrodeses as well as arthrodeses of the wrist.

With TriLock, Medartis was the first company to offer a fully modular, multidirectional and angular stable hand fixation system – a trend that has become state-of-the-art in wrist surgery.

## Precision in fixation



Medartis AG, headquartered in Basel, Switzerland, specializes in technical high-precision implants for surgical fixation of bone fractures and osteotomies.

Medartis develops, manufactures and sells titanium screws and plates, surgical instruments and system solutions for fracture fixation. These implants allow for patient rehabilitation after surgical reconstruction of fractures, malunions and deformities or skeletal diseases and their adjacent soft tissues. Medartis is represented worldwide through its subsidiaries and a broad distributor network.

Our motto is "Precision in fixation." We place the highest priority on maintaining stringent quality standards, continuous further development and innovation as well as comprehensive service provision for surgeons, OR staff and patients. This enhances long-term customer relations based on partnerships and has formed the foundation for sustainable success since the company's founding in 1997. The goal of Medartis is to continually improve early functional rehabilitation through its high-quality products and exclusively developed technologies. In order to fulfill the growing requirements of medical devices, our development teams engage in intensive knowledge exchange with our customers, partners and leading scientific institutes globally. Medartis' international locations allow us to determine the needs of surgeons and patients directly on site and to incorporate these needs into product development. This is the only way we can efficiently resolve current clinical problems and offer market-oriented products for use in the OR.

Service quality is considerably shaped by our international presence as well as local cooperation. Product quality is maintained by the fact that the entire process chain – from development to aftercare – is in the hands of our internal departments. Medartis can thus exclusively apply the newest technologies during product development for special areas such as small bone surgery. At the same time, we have the greatest possible control over process quality and flexibility.

## One System - Many Possibilities APTUS Wrist

- For fractures, osteotomies and pseudarthrosis of the distal radius, distal ulna and wrist
- Consistent screw diameter of 2.5 mm
- Stable fracture fixation



#### APTUS WRIST

#### Trauma

Fractures can be of varying intensities and necessitate adaptation of the treatment methods, accordingly. The use of angular stable incorporating the "internal fixator" principle has increased dramatically in recent years compared to conservative therapy. The shorter period of immobilization of the wrist, stable fracture fixation, improved reconstruction of the anatomical features, and a reduction in latent complications, are the clear advantages for using such plates. Medartis offers a large selection of plates for adequately resolving any type of fracture.

#### Correction

Malunited fractures of the distal radius require a second intervention in order to reconstruct the physiological axes and ratios to the radioulnar and radiocarpal joints returning the load ratios to normal. Correction plates must be used, depending on the correction required, to bridge a large, unstable zone. Consequently they should be comparatively more stable in order to be able to absorb more force. Medartis offers plates of varying lengths and widths which account for the special demands of correction osteotomies.



- 1 Intra-articular fracture with volar TriLock fracture plate
- 2 Extra-articular fracture with volar TriLock frame plate
- 3 Intra-articular fracture with dorsal TriLock frame plate
- 4 Correction osteotomy with volar ADAPTIVE TriLock plate
- 5 Multi-fragment fracture with short distal ulna plate

## Pain-Free with Best Possible Functionality APTUS Wrist

- For fusion of single carpal bones
- For radiocarpal fusion and total arthrodesis of the wrist



#### APTUS WRIST

#### Arthrodeses

Analgesia, mobility and stability are the prerequisites for unhindered hand function. If "normal hand function" is no longer possible, this means a significant limitation to the life quality of the afflicted person. Partial or total arthrodesis is very frequently performed as a last resort to give this patient a pain-free life with as much freedom of motion as possible.

#### Cannulated Compression Screws - SpeedTip CCS 2.2, 3.0

SpeedTip CCS 2.2, 3.0 cannulated compression screws stand out thanks to innovative technologies and the unique quality of the screw threads. The patented SpeedTip polygonal geometry in combination with the high-precision construction of the thread considerably reduce the torque required to insert the screws, making them easier for the surgeon to use, reducing surgery times. The optimized cutting tip enables the screw to cut and purchase extremely well in the bone, thus avoiding the risk of bone fragment displacement.





- 1 STT fusion
- 2 Four corner fusion
- 3 RSL fusion
- 4 Total wrist fusion with long bend TWF plate
- 5 Radius styloid fracture treated with the SpeedTip CCS 3.0

## Anatomical Plate Design APTUS Wrist



For further information on the plate range, see the APTUS Ordering Catalog at www.medartis.com/meta/downloads/marketing-materials

- The system for perfect fracture treatment and correction osteotomy
- The all-round solution for arthrodesis of the wrist
- Multidirectional (±15°) and angular stable fixation

#### PLATE RANGE

The range of plates available encompasses a large selection of different TriLock plates for fractures, osteotomies and pseudarthrosis as well as arthrodesis of the distal radius, distal ulna and wrist

- Fracture, frame and ADAPTIVE plates
- Correction plates
- Small fragment plates
- TWF plates
- RSL plates
- 4CF and STT plates

#### PLATE FEATURES

- Anatomically pre-contoured plate geometries for simple intraoperative application
- Optimal subchondral stability due to double-row screw arrangement in the distal area of the radius plates
- TriLock variable angled locking of ±15° in each plate hole for fracture-specific positioning of the plate
- No risk of cold welding
- Low profile even at the maximum adjusted screw angle of ±15°, preserving the soft tissue
- Well-rounded edges and highly polished surface for maximum soft tissue protection
- K-wire holes for temporarily fixing the plate and checking the position of the screws
- Early mobilization based on the "internal fixator" principle







## Superior Screw Technology APTUS Wrist



For further information on the screw range, see the APTUS Ordering Catalog at www.medartis.com/meta/downloads/marketing-materials

- HexaDrive interface with optimal self-holding properties
- Outstanding thread characteristics
- Excellent torsional and tensile strength

#### SCREW OPTIONS

- Blue 2.0, 2.5 TriLock screws (locking)
- Gold 2.0, 2.3, 2.5 cortical screws (fixation)

#### SCREW FEATURES

- TriLock locking technology secure, angular stable locking of the screw in the plate:
  - o Spherical three-point wedge-locking
  - o Friction locking through radial bracing of the screw head in the plate without additional tensioning components
- HexaDrive screw head design for increased torque transmission and optimal self-retaining mechanism between the screw head and screwdriver blade
- Excellent self-tapping properties (without cutting flutes) and easy screw insertion due to precision cut thread profile
- Atraumatic screw tip minimizes soft tissue irritation when inserting screws bicortically
- Double threaded TriLock screws for faster insertion
- Tapered core diameter close to the screw head for increased torsional and tensile strength

#### SPEEDTIP CCS CANNULATED COMPRESSION SCREWS

- Screws can be inserted directly without pre-drilling
- Reduced risk of bone fragment displacement thanks to excellent self-tapping properties
- Effortless insertion the polygonal tip pushes bone material aside



### Technology, Material and Biomechanics APTUS Wrist







- 1 Plate hole with locking contour
- 2 Biomechanical test of an implant
- 3 Spherical three-point wedge-locking

- TriLock locking technology
- High-grade materials
- Highest quality standard

#### INNOVATIVE TRILOCK LOCKING TECHNOLOGY

TriLock is a unique, multidirectional and angular stable locking technology

- High stability through frictional bracing of the screw head in the plate (spherical three-point wedge-locking)
- Variable angle of ± 15° in all directions enables optimal positioning of the screw
- The special locking contour of the screw head and plate hole permits precise intraoperative adjustability



"internal fixator" principle

#### INTERNAL FIXATOR PRINCIPLE

The TriLock plate-screw connection functions according to the principle of internal fixation and thus allows the bridging of unstable zones. In addition, it improves vascularization of the periosteum, since it is not necessary for the plate to be in direct contact with the bone surface.

#### MATERIAL

Plates and screws are made from pure titanium (ASTM F67, ISO 5832-2) or from titanium alloy (ASTM F136, ISO 5832-3). Titanium is a safe and reliable material, which is biocompatible and corrosion-resistant, does not trigger any allergic reactions and, according to current understanding, can remain in the body indefinitely.

#### BIOMECHANICS

Computer-optimized plate geometries ensure that the implants can withstand high mechanical stress with minimal plate thickness.



Bridging of an unstable zone



## Instruments APTUS Wrist



- Reduced instrument kit
- Intuitive application
- Easy to use

#### SIMPLE INSTRUMENT KIT

The Medartis instruments are compact, ergonomically designed and easy to use.

- Depth gauges for single-handed use
- Screwdriver features the patented HexaDrive self-holding mechanism
- Reamers to suit the plate design
- Drill guides
- Pair of plate bending pliers for various plate types
- Plate cutting pliers

#### **CLEAR COLOR CODING CONCEPT**

Twist drills and instruments have a consistent and clear color code which allows for intuitive use within each system size.

APTUS 2.0 = blue

APTUS 2.3 = brown

APTUS 2.5 = violet



## Storage in Perfection APTUS Wrist



- Modular, economic, compact
- 16/16 can be configured to suit the customer's need
- Clearly organized

#### MODULAR CONCEPT

The base frame in the 16/16 grid of the Distal Radius System 2.5 can be freely combined with screw and plate modules of different sizes, allowing the customer to configure an individual APTUS Wrist system.

Plates and screws may be combined freely in the implant containers. From a small basic set up to the complete product range, everything can be adapted to the needs of the individual user.

- 16/16 Base frame
- 1/16 Twist drill module
- 2/16 Screw modules, incl. swivel version
- 3/16 9/16 Plate modules



#### **ARTHRODESIS SYSTEM**

The container concept for the arthrodesis system is an effective advance on the proven APTUS container system. In addition to the usual ease of use and compact design, all of the modules can be identified from outside the closed container.

#### FLEXIBLE COLOR CODING AND LABELING CONCEPT

The use of colored stickers in the implant and instrument containers permits consistent and clear color coding of the individual implants and instruments, ensuring clear identification of the plates, screws and instrumentation.







## Clinical Examples APTUS Wrist – Fractures, Corrections

Case 1 - 2.5 TriLock distal radius fracture plate, volar







Trauma case of a C3 fracture in a 47-year old male patient

Intraoperative view of plate position

Postoperative X-ray control with anatomical reconstruction and subchondral screw position

### Case 2 - 2.5 TriLock distal radius correction plate, volar



Preoperative X-ray (lateral) with moderate malpositioning



Intraoperative view after fixation of distal screws



Postoperative X-ray (lateral) after healing of correction osteotomy

### Case 3 - 2.5 TriLock distal radius frame plate, volar



Trauma case of a C3 fracture in a 68-year old female patient



Intraoperative view of positioning the plate as far distal as possible



X-ray control 4 weeks postoperatively

Clinical cases with kind permission of: Prof. H. Krimmer, Ravensburg, Germany (1,2) | Dr. Ch. Ranft, Kiel, Germany (3) | Dr. R. Steiger, Liestal, Switzerland (4) Dr. R. Gelberman, St. Louis, USA (5) | Dr. A. Leti Acciaro, Modena, Italy (6)

### Case 4 - 2.5 TriLock distal radius frame plate, dorsal



Clinical picture (lateral X-ray of fracture) of a 73-year old female patient



with bone substitute



Postoperative X-ray control

### Case 5 - 2.5 ADAPTIVE TriLock distal radius plate, volar



Preoperative X-rays

Intraoperative view

Postoperative X-ray control Note: For ideal results, we recommend insertion of at least 3 TriLock screws into the first row and 2 TriLock screws into the second row of drill holes

### Case 6 - 2.5 TriLock distal ulna plate, volar



Preoperative X-rays



Intraoperative view



Postoperative X-ray control with long distal ulna plate

## **Clinical Examples APTUS Wrist – Arthrodeses**

Case 1 – STT fusion







Intraoperative X-rays

Result after STT fusion with STT fusion plate

Postoperative X-rays

### Case 2 – SNAC wrist



Preoperative X-rays

using cortical screws

Creating a recess



Result after mediocarpal partial arthrodesis with 4CF plate. Per carpal bone capitate, hamate, triquetrum and lunate 3 screws (1 x cortical screw, 2 x TriLock screws) are inserted Postoperative X-rays

Clinical cases with kind permission of: Dr. Arnold-Peter Weiss, Providence, USA (1,2) | Prof. Dr. Hermann Krimmer, Ravensburg, Germany (3) | Prof. Dr. Michael Sauerbier, Bad Soden, Germany (4) Dr. Christoph Eicker, Essen, Germany (5)

### Case 3 – Advanced radial and mediocarpal arthrosis



Preoperative X-rays

Result after wrist fusion with wrist fusion plate, long bend



Postoperative X-rays

### Case 4 – Arthrosis in the left wrist, necrotic lunate



Preoperative X-ray



Complete removal of the lunate and triquetrum Result after wrist fusion with wrist fusion plate, short bend



Postoperative X-rays

### Case 5 – Removal of wrist prosthesis approx. 3 years after surgery



Intraoperative images: Removal of the wrist prosthesis



Insertion of a bone graft



Result after wrist fusion with TWF plate, straight

WRIST-00000001\_v2 / © 06.2013, Medartis AG, Switzerland. All technical data subject to alteration.

#### HEADQUARTERS

Medartis AG | Hochbergerstrasse 60E | 4057 Basel/Switzerland P +41 61 633 34 34 | F +41 61 633 34 00 | www.medartis.com

#### SUBSIDIARIES

Australia | Austria | France | Germany | Mexico | New Zealand | Poland | UK | USA

For detailed information regarding our subsidiaries and distributors, please visit www.medartis.com